
Printing date 20.09.2019

HI-PERFORMANCE BUILDING PRODUCTS

Rev. 1

Revision: 20.09.2019



Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

Trade name: LITONET GEL EVO

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

|--|

· Dangerous components:		
CAS: 1344-09-8	Silicic acid, sodium salt	<i>≥</i> 2.5-<10%
EINECS: 215-687-4	🕔 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119448725-31-XXX		
CAS: 68131-40-8	Alcohols, secondary C11-15, ethoxylated	≥1-<3%
EC number: 614-295-4	📀 Eye Dam. 1, H318; 😲 Acute Tox. 4, H302	
Reg.nr.: 01-2119560577-29-XXX		
Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases.

- Mouth respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dilute with plenty water.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Use only in well ventilated areas. • Information about fire - and explosion protection: Protect from heat.
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage:
 - · Requirements to be met by storerooms and receptacles: No special requirements.

Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

(Contd. of page 2)

Trade name: LITONET GEL EVO

- Information about storage in one common storage facility: Not required.
 Further information about storage conditions:
 Protect from frost.
- Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
 - Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	'	
•	DNF	ls

CAS: 1344-09-8 Silicic acid, sodium salt		
Oral	DNEL / Long term exposure - Systemic effects	0.8 mg/Kg bw/d (general population)
Dermal	DNEL / Long term exposure - Systemic effects	0.8 mg/Kg bw/d (general population)
		1.59 mg/Kg bw/d (workers)
Inhalative	DNEL / Long term exposure - Systemic effects	1.38 mg/m³ (general population)
		5.61 mg/m³ (workers)
· PNECs		

CAS: 1344-09-8 Silicic acid, sodium salt	
PNEC	7.5 (intermittent releases)
PNEC / aqua	7.5 mg/l (freshwater)
	1 mg/l (marine water)
PNEC / STP	348 mg/l (sewage treatment plant)
CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated	
PNEC / aqua	0.02 mg/l (freshwater)
	0.002 mg/l (marine water)
PNEC / sediment	28.1 mg/Kg dw (freshwater)
	2.81 mg/Kg dw (marine water)
PNEC / soil	5.6 mg/Kg dw
PNEC / STP	8.24 mg/l (sewage treatment plant)
• Additional information: The lists valid during the making were used as basis.	

· 8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

(Contd. of page 3)

Trade name: LITONET GEL EVO

• Eye protection:



SECTION 9: Physical and ch	emical properties	
• 9.1 Information on basic physical a	nd chemical properties	
· General Information	···· ·································	
· Appearance:		
· Form:	Liquid	
	Viscous	
· Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	11.5	
 Change in condition 		
 Melting point/freezing point: 	<0 °C	
Initial boiling point and boiling r	ange: >100 °C	
· Flash point:	>193 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	> 500 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.005 g/cm ³	
· Relative density	Not determined.	
 Vapour density at 20 °C 	> 1 atm g/cm³	
 Evaporation rate 	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water: Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

 • 10.2 Chemical stability
 • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

• **10.3 Possibility of hazardous reactions** Strong exothermic reaction with acids. Reacts with metals forming hydrogen.

· 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** Aluminum Reacts with oxidising agents.

(Contd. on page 5)

⁻ GB

Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

(Contd. of page 4)

Trade name: LITONET GEL EVO

· 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 1344-09-8 Silicic acid, sodium salt

Oral LD50 3,400 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rat)

CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 1344-09-8 Silicic acid, sodium salt

EC50 / 48h 1,700 mg/l (crustacea - Daphnia magna)

LC50 / 96h 1,108 mg/l (fish)

EC50 / 72h 345.4 mg/l (algae)

CAS: 68131-40-8 Alcohols, secondary C11-15, ethoxylated

EC50 / 48h 5.66 mg/l (daphnia)

LC50 / 96h 1.53 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

(Contd. of page 5)

Trade name: LITONET GEL EVO

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 		
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals) Regulation (EC) No 1272/2008 (CLP - Classification, Labelling and Packaging of substances and mixtures) Compilation of Safety Data Sheet: Reg.UE n. 830/2015 (amending Reg.EC n.1907/2006, Annex II)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

REACH

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	The classification of the mixture is generally based on t
	calculation method using substance data according to
	Regulation (EC) No 1272/2008.

Contact: LITOKOL S.p.A.

Abbreviations and acronyms: REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Classification, Labelling and Packaging

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 7)

GB

generally based on the

Printing date 20.09.2019

Rev. 1

Revision: 20.09.2019

Trade name: LITONET GEL EVO

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 (Contd. of page 6)

GB