



Handrinse basin # 0739400041

| < 400 mm > |



Handrinse basin	Dimension	Weight	Order number
without overflow, with tap platform, tap hole on right side, fixings included, underneath glazed, 400 mm			
Colors			
00 White Alpin			
Variant			
●	400 x 220 mm	7.500 kg	0739400041
Infobox			
Mandatory in combination with a bottle trap inclusive extended pipe			
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Accessory			
Continuous flow waste for washbasins without overflow	75 mm	0.400 kg	005038
Recommended faucets			
Single lever basin mixer S Ceramic cartridge, Projection 101 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,			B21010001
Single lever basin mixer S Ceramic cartridge, Projection 91 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, recommended operating pressure 3 - 5 bar, without pop-up waste set,			C11010002
Single lever basin mixer S Ceramic cartridge, Projection 101 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,			B21010002

Single lever basin mixer S Ceramic cartridge, projection 95 mm, Flexible connection hoses 3/8 ", Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,	A11010001
Single lever basin mixer S Ceramic cartridge, projection 95 mm, Flexible connection hoses 3/8 ", Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,	A11010002
Single lever basin mixer S Ceramic cartridge, Projection 94 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,	DE1010001
Single lever basin mixer S Ceramic cartridge, Projection 94 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,	DE1010002
Single lever basin mixer M Ceramic cartridge, Projection 109 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,	DE1020001
Single lever basin mixer M Ceramic cartridge, Projection 109 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,	DE1020002
Single lever basin mixer S FreshStart Ceramic cartridge, in centre position cold water, Projection 94 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,	DE1011001
Single lever basin mixer S FreshStart Ceramic cartridge, in centre position cold water, Projection 94 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,	DE1011002
Single lever basin mixer M FreshStart Ceramic cartridge, in centre position cold water, Projection 109 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,	DE1021001
Single lever basin mixer M FreshStart Ceramic cartridge, in centre position cold water, Projection 109 mm, Flexible connection hoses 3/8 ", aerator adjustable, Normal spray, chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,	DE1021002

Handrinse basin # 0739400041

|< 400 mm >|

Single lever basin mixer S Ceramic cartridge, projection 100 mm, aerator with Easy-clean spray-plate, Normal spray, connection size DN15, recommended operating pressure 3 - 5 bar, with pop-up waste set,

CE1010001

Single lever basin mixer S Ceramic cartridge, projection 100 mm, aerator with Easy-clean spray-plate, Normal spray, connection size DN15, recommended operating pressure 3 - 5 bar, without pop-up waste set,

CE1010002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.